IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A method of preparing the diehloropropanols 1,3-dichloro-2-propanol and 2,3-dichloro-1-propanol by hydrochlorination of comprising hydrochlorinating glycerine and/or monochloropropanediols with gaseous hydrogen chloride with catalysis of a carboxylic acid, eharacterized in that wherein said hydrochlorination is carried out solvent-free in at least one continuous reaction zone at reaction temperatures in the range of 70-140°C and with continuous removing of the water of reaction by distillation at reduced pressure, the liquid feed containing at least 50% by weight of glycerine and/or monochloropropanediols.

Claim 2 (Currently Amended): The method according to claim 1, characterized in that wherein the liquid feed contains 80-100 by weight of glycerine.

Claim 3 (Currently Amended): The method according to claim 1, eharacterized in that wherein the liquid feed contains, as the monochloropropanediols, 3-chloro-1,2-propanediol and/or 2-chloro-1,3-propanediol.

Claim 4 (Currently Amended): The method according to any of the preceding claims, eharacterized in that claim 1, wherein the catalysis is made with acetic acid.

Claim 5 (Currently Amended): The method according to any of the preceding claims, eharacterized in that claim 1, wherein the reaction is carried out at a temperature of 100-110°C.

Claim 6 (Currently Amended): The method according to any of the preceding claims, eharacterized in that claim 1, wherein the distillation at reduced pressure is carried out in a rectification zone linked to the reaction zone.

Claim 7 (Currently Amended): The method according to claim 6, characterized in that, together with the wherein the method comprises removing of the water of reaction by distillation[[,]] and at least partial primary collection of the 1,3-dichloro-2-propanol and 2,3-dichloro-1-propanol product dichloropropanols is made.

Claim 8 (Currently Amended): The method according to claim [[6 or]] 7, eharacterized in that wherein secondary collection is made, from which dichloropropanols and monochloropropanediols are recycled to the process.

Claim 9 (Currently Amended): The method according to claim 8, eharacterized in that wherein the secondarily collected residual balance of the reaction mixture is subjected to distillation under reduced pressure in order to separate the higher boiling waste products as the distillation residue and the dichloropropanols and monochloropropanediols, recycled to the reactor, as the distillate.

Claim 10 (Currently Amended): The method according to any of claims 1-5, eharacterized in that it claim 1, wherein the method is carried out in a cascade of continuous flow reaction zones wherein the water of reaction is collected, together with partial collection of the product dichloropropanols, by distillation at reduced pressure, located always downstream the individual reaction zones of the cascade, and the distillation residue is fed into the next zone of the cascade.

Claim 11 (Currently Amended): The method according to claim 10, eharacterized in that wherein the reaction mixture exiting from the last step of the cascade is subjected to a two-step distillation, wherein in the first step the water of reaction is separated together with the dichloropropanol reaction product as the distillate and in the second step the higher boiling waste products are separated as the distillation residue and the dichloropropanols and monochloropropanediols are separated as the distillate and are recycled back to the process, preferably into the first step of the cascade.

Claim 12 (Currently Amended): An apparatus for carrying out the method of any of elaims 1-9 claim 1, wherein the apparatus comprises a circulation reactor, consisting of a vertical cylinder, with external circulation, in which there is located a vacuum rectification column downstream of the reactor, for continuous returning the distillation residue from the vacuum rectification column back to the reactor and for continuous collection of a mixture of the dichloropropanol product, the reaction water and the residual hydrogen chloride as a distillate.

Claim 13 (Original): The apparatus according to claim 12, wherein the apparatus further comprises a vacuum distillation device for continuous removing of the undesired high-boiling waste products as distillation residue and back to the reactor recycled dichloropropanols and monochloropropanediols as distillate, located downstream the vacuum rectification column.

Claim 14 (Currently Amended): An apparatus for carrying out the method of elaims 10 or 11 claim 10, wherein the apparatus comprises a cascade of continuous flow reactors, in

which there are vacuum distillation devices located downstream the individual steps of the cascade for distilling off the water of reaction and a part of the dichloropropanol product; the distillation residue being led to the subsequent member of the cascade.

Claim 15 (Original): The apparatus of claim 14, wherein the number of the members of the cascade is 1 to 5.

Claim 16 (Currently Amended): The apparatus of claim 14 [[or 15]], wherein the number of the members of the cascade is 3.